in the lesions and increased the patient's quality of life. Although our data are insufficient to assess its long-term effect, we believe that ustekinumab therapy could be of value in cases of palmar-plantar pustulosis resistant to other treatments. Further research into the mechanism by which the drug achieves the observed improvement is warranted, as well as studies with more patients to either confirm or reject the usefulness of ustekinumab in this problematic disease.

References

- De Waal AC, van de Kerkhof PC. Pustulosis palmoplantaris is a disease distinct from psoriasis. J Dermatolog Treat. 2011;22:102-5.
- Giménez-García R, Sánchez-Ramón S, Cuellar-Olmedo LA. Palmoplantar pustulosis: a clinicoepidemiological study. The relationship between tobacco use and thyroid function. Eur J Acad Dermatol Venereol. 2003;17:276–9.
- 3. Adisen E, Gürer A. Therapeutic options for palmoplantar pustulosis. Clin Exp Dermatol. 2010;35:219–22.
- Puig L, Carrascosa JM, Daudén E, Sánchez-Carazo JL, Ferrándiz C, Sánchez-Regaña M, et al. Directrices españolas basadas en la evidencia para el tratamiento de la psoriasis moderada a grave con agentes biológicos. Actas Dermosifiliogr. 2009;100: 386–413.
- López-Estebaranz JL, Ruíz-Genao D. Psoriasis pustulosa, psoriasis palmoplantar, psoriasis eritrodérmica y etanercept. Actas Dermosifiliogr. 2010;101:35–9.

- Kasche A, Pfab F, Hein R, Athanasiadis GI, Ollert M, Ring J, et al. Severe psoriasis pustulosa palmaris et plantaris (Barber-Königsbeck) treated successfully with soluble tumour necrosis factor receptor fusion protein (etanercept). J Eur Acad Dermatol Venereol. 2007;21:255–7.
- Bulai Livideanu C, Lahfa M, Mazereeuw-Hautier J, Paul C. Efficacy of ustekinumab in palmoplantar psoriasis. Dermatology. 2010;221:321–3.
- Gerdes S, Franke J, Domm S, Mrowietz U. Ustekinumab in the treatment of palmoplantar pustulosis. Br J Dermatol. 2010;163:1116-8.
- 9. Watanabe H, Kawaguchi M, Fujishima S, Ogura M, Matsukura S, Takeuchi H, et al. Functional characterization of IL-17F as a Selective Neutrophil attractand in Psoriasis. J Invest Dermatol. 2009;129:650–6.
- Hagforsen E, Hedstrand H, Nyberg F, Michaëlsson G. Novel finding of Langerhans cells and interleukin-17 expression in relation to the acrosyringium and pustule in palmoplantar pustulosis. Br J Dermatol. 2010;163:572–9.

B. de Unamuno-Bustos,* R. Ballester-Sánchez, V. Oliver-Martínez, V. Alegre de Miquel

Servicio de Dermatología, Consorcio Hospital General Universitario de Valencia, Valencia, Spain

* Corresponding author. *E-mail address:* blancaunamuno@yahoo.es (B. de Unamuno-Bustos).

Verrugas múltiples localizadas exclusivamente sobre las placas de psoriasis

To the Editor:

Common warts (verruca vulgaris) are found very frequently in children and adults (prevalence, 10%) and can sometimes prove difficult to treat, particularly when multiple or recalcitrant.

We report the case of a patient who developed multiple warts on psoriasis plaques.

The patient was a 58-year-old man with a history of hypertension and an immunoglobulin A monoclonal gammopathy for which he was not receiving any treatment at the time. He had a history of plaque psoriasis with joint involvement since the age of 15. Treatment with topical corticosteroids and oral methotrexate had achieved only slight improvement in this condition. He attended our clinic because of an outbreak of small erythematousdesquamative lesions distributed symmetrically across his arms and trunk on which multiple spiny whitish papules had developed. The appearance of the papules was consistent with a diagnosis of viral warts (Fig. 1). The patient had never previously had warts. The results of the additional tests performed were normal, and serology for human immunodeficiency virus and hepatitis B and C viruses was negative. Skin biopsy revealed an acanthotic epidermis with papillomatosis, hyperkeratosis with focal parakeratosis, and no clear signs of viral cytopathic effect. A chronic inflammatory infiltrate was found in the underlying dermis. Genotyping for the human papillomavirus (HPV) performed using hybridization techniques (Clinical Arrays, Genomica) was positive for genotypes 6 and 31. The histologic diagnosis was verruca vulgaris on plaque psoriasis. Methotrexate was withdrawn and the patient started treatment with acitretin 35 mg/d. Virtually all the warts disappeared within 1 month, but the psoriasis plaques persisted. These were then treated with narrowband UV-B phototherapy with excellent results (Fig. 2).

On reviewing the literature we found 1 report of a case of psoriasis on viral warts in a patient treated with interferon- α .¹ It has been suggested that the HPV may contain proteins that stimulate keratinocyte proliferation. These proteins, and others included in the viral capsid, can be recognized by preactivated CD4+ lymphocytes and lead to the generation of specific antibodies (antigenic activation). The autoimmune reaction triggered in this way could lead to complement activation, neutrophil chemotaxis, and formation of the Munro microabscesses so characteristic

^{*} Please cite this article as: Carnero L, et al. Verrugas multiples localizadas exclusivamente sobre las places de psoriasis. Actas Dermosifiliogr. 2011;102:835-836.



Figure 1 Back covered with small psoriasis plaques on which warts had developed.

of plaque psoriasis.² Thus, while HPV does not cause the psoriasis, it may be involved in the pathogenesis of the disease, particularly in the case of genotypes 5 and 36,^{3,4} and contribute to keratinocyte proliferation and the perpetuation of the autoimmune reaction. Our patient tested positive



Figure 2 Clearance of both the warts and psoriasis after treatment with acitretin 35 mg/d and narrowband UV-B phototherapy.

for HPV 6 and 31, genotypes that carry only a low oncogenic risk and are often found in common warts.

In our patient, the inverse situation occurred as the viral warts only appeared on the psoriasis plagues. Some authors have suggested that the epidermal hyperproliferation characteristic of psoriasis may reactivate latent HPV infection, leading to the development of warts.⁵ Moreover, HPV DNA has been identified in psoriasis plagues, carcinomas, and epidermodysplasia verruciformis, but not in other skin diseases, such as eczemas and atopic dermatitis.⁶ In our patient, there were also other factors that could have contributed to the appearance of these warts, such as the immunosuppressant therapy he received to treat his psoriasis and the monoclonal gammopathy. A case was recently reported in which viral warts appeared suddenly in a patient with psoriasis being treated with the anti-tumor necrosis factor agent etanercept.⁷ The few articles published on the topic shed little light on this complex interrelationship between cytokines, psoriasis, and HPV infection.¹⁻⁸

Finally, in our review of the literature we found no reports of psoriasis with viral warts treated with acitretin, the drug that achieved complete resolution of the warts in our patient.

References

- 1. Shiohara T, Kobayashi M, Abe K, Nagashima M. Psoriasis occurring predominantly on warts. Arch Dermatol. 1988;124: 1816-21.
- Majewski S, Jablonska S, Favre M, Ramoz N, Orth G. Papillomavirus and autoimmunity in psoriasis. Immunol Today. 1999;20:475–6.
- 3. Mahé E, Descamps V. PUVA therapy and human papillomavirus type 5 detection in psoriasis. J Invest Dermatol. 1998;111: 912-3.
- Favre M, Orth G, Majewski S, Baloul S, Pura A, Jablonska S. Psoriasis: A possible reservoir for human papillomavirus type 5, the virus associated with skin carcinomas of epidermodysplasia verruciformis. J Invest Dermatol. 1998;110:311–7.
- Majewski S, Jablonska S, Favre M, Orth G. Cytokines may favor a role for human papillomaviruses in the pathogenesis of psoriasis. Arch Dermatol. 2001;137:1373.
- Mahé E, Bodemer C, Descamps V, Mahé I, Crickx B, de Prosa Y, et al. High frequency of detection of human papillomaviruses associated with epidermodysplasia verruciformis in children with psoriasis. Br J Dermatol. 2003;149:819–25.
- 7. Sanz-Sánchez T, Daudén E, González-Arribas A, García-Díez A. Aparición brusca de verrugas virales durante el tratamiento con etanercept. Actas Dermosifilogr. 2010;101:460–2.
- Krueger JG. The immunologic basis for the treatment of psoriasis with new biologic agents. J Am Acad Dermatol. 2002;46: 1–23.

L. Carnero,* R. González-Pérez, I. Arrue, R. Soloeta

Servicio de Dermatología, Hospital Santiago Apóstol, Vitoria, Álava, Spain

* Corresponding author.

E-mail address: LUCIA.CARNEROGONZALEZ@osakidetza.net (L. Carnero).