

## LA DERMATOLOGÍA ESPAÑOLA FUERA DE ESPAÑA, 1999

- Rubio FA, Herranz P, Robayna G, Peña JM, Contreras F, Casado M. Pertorating folliculitis: report of a case in a HIV infected man. *J Am Acad Dermatol* 1999;40:300-2.
- Russo F, Collantes C, Guerrero J. Severe paronychia due to zidovudine-induced neutropenia in a neonate. *J Am Acad Dermatol* 1999;40:322-4.
- Goerttler E, Kutzner H, Peter HH, Requena L. Methotrexate-induced papular eruption in patients with rheumatic diseases: a distinctive adverse reaction produced by methotrexate in patients with collagen vascular diseases. *J Am Acad Dermatol* 1999;40:702-7.
- Hernández Martín A, Ros Forteza S, De Unamuno P. Longitudinal, transverse, and diffuse nail hyperpigmentation induced by hydroxyurea. *J Am Acad Dermatol* 1999;40:333-4.
- Grilli R, Izquierdo MJ, Farina MC, Kutzner H, Gadea I, Martín L, Requena L. Papular-purpuric «gloves and socks» syndrome: polymerase chain reaction demonstration of parvovirus B19 DNA in cutaneous lesions and sera. *J Am Acad Dermatol* 1999;41:793-6.
- Barnadas MA, Brunet S, Sureda A, López R, Curell R, Sierra J, Alomar A. Exuberant granulation tissue associated with chronic graft-versus-host disease after transplantation of peripheral blood progenitor cells. *J Am Acad Dermatol* 1999;41:876-9.
- Casanova JM, Pujol RM, Taberner R, Egido R, Fernández E, Alomar A. Grover's disease in patients with chronic renal failure receiving hemodialysis: clinicopathologic review of 4 cases. *J Am Acad Dermatol* 1999;41:1029-33.
- Rueda M, Del Cerro M, Herrera M, Suárez R, De Eusebio E, Sánchez Yús E. Bullous and hemorrhagic lesions. *Arch Dermatol* 1999;135:81-6.
- Sais G, Vidaller A. Pathogenesis of exercise-induced urticarial vasculitis lesions. Can the changes be extrapolated to all leukocytoclastic vasculitis lesions? *Arch Dermatol* 1999;135:87-8.
- Camacho F, Mazuecos J. Treatment of vitiligo with oral and topical phenylalanine: 6 years of experience. *Arch Dermatol* 1999;135:216-7.
- Fernández Herrera J, Valks R, Feal C, Fraga J, Tomás JF, García Díez A. Induction of hyperacute graft-versus-host disease after donor leukocyte infusions. *Arch Dermatol* 1999;135:304-8.
- Herrero C, Ozalla D, Sala M, Otero R, Santiago-Silva M, Lecha M, To-Figueras J, Deulofeu R, Mascaró JM, Grimalt J, Sunyer J. Urinary porphyrin excretion in human population highly exposed to hexachlorobenzene. *Arch Dermatol* 1999;135:400-4.
- Gauchia Moreno R, Rodríguez Serna M, Silvestre JF, Alba MI, Aliaga A. A painless mass on the tongue of a young man. *Arch Dermatol* 1999;135:593.
- Domínguez JD, Rodríguez Peralto JL, Iglesias L. Recurrent oral blood blisters. *Arch Dermatol* 1999; 135: 593.
- Botella R, Alfonso R, Silvestre JF, Ramón R. Discoid lupus erythematosus-like lesions and stomatitis. *Arch Dermatol* 1999;135:845.
- Botella Estrada R, Sanmartín O, Martínez V, Campos S, Aliaga A. Magnetic resonance angiography in the diagnosis of a case of giant cell arteritis manifesting as scalp necrosis. *Arch Dermatol* 1999;135:769-71.
- Gallardo Hernández F, Notario Rosa J, Jucglá Serra A, Peyri Rey J. Diffuse painless ulcerations. *Arch Dermatol* 1999;135:983.
- García Hernández MJ, Rodríguez Pichardo A, Camacho F. Multivariate analysis in alopecia areata: risk factors and validity of clinical forms. *Arch Dermatol* 1999;135:998-9.
- García Hernández MJ, Camacho F. Chronic telogen effluvium: incidence, clinical and biochemical features and treatment. *Arch Dermatol* 1999;135:1123-4.
- Requena L, Fariña MC, Robledo M, Sanguenza OP, Sánchez Yús E, Villanueva A, Marquina A, Tamarit R. Multiple hereditary infundibulocystic basal cell carcinomas: a genodermatosis different from nevoid basal cell carcinoma syndrome. *Arch Dermatol* 1999; 135:1227-35.
- Valks R, Fraga J, Muñoz E, Bartolomé B, García-Díez A, Fernández Herrera J. Acute generalized exanthematous pustulosis in patients receiving high-dose chemotherapy. *Arch Dermatol* 1999;135:1418-20.
- Mannes KD, Dekle CL, Requena L, Sanguenza OP. Verruciform xanthoma associated with squamous cell carcinoma. *Am J Dermatopathol* 1999;21:66-9.
- De Eusebio E, Sánchez Yús E, Novo Lens R. Lichen nitidus of the palms: a case with peculiar histopathologic features. *Am J Dermatopathol* 1999;21: 161-4.

- López Ríos F, Rodríguez Peralto JL, Castaño E, Benito A. Squamous cell carcinoma arising in a cutaneous epidermal cyst: case report and literature review. *Am J Dermatopathol* 1999;21:174-7.
- Sánchez Yús E, Simón P. About benign neoplasms with sebaceous differentiation. *Am J Dermatopathol* 1999;21:298-9.
- Sánchez Yús E, Simón P. About the histopathology of erythema induratum-nodular vasculitis. *Am J Dermatopathol* 1999;21:301-3.
- Grilli R, Soriano ML, Izquierdo MJ, Fariña MC, Martín L, Manzarbeitia F, Requena L. Panniculitis mimicking lupus erythematosus profundus: a new histopathologic finding in malignant atrophic papulosis (degos disease). *Am J Dermatopathol* 1999;21:365-8.
- De la Torre C, Ocampo C, Doval IG, Losada A, Cruces MJ. Acrochordons are not a component of the Birt-Hodg-Dubé syndrome: does this syndrome exist? Case report and review of the literature. *Am J Dermatopathol* 1999;21:369-74.
- Aramburu González JA, Rodríguez Justo M, Jiménez Reyes J, Santoja C. A case of soft tissue mesenchymal chondrosarcoma metastatic to skin, clinically mimicking keratoacanthoma. *Am J Dermatopathol* 1999;21:392-4.
- Escalonilla P, Grilli R, Cañamero M, Soriano ML, Fariña MC, Manzarbeitia F, Sainz R, Matsukura T, Requena L. Sebaceous carcinoma of the vulva. *Am J Dermatopathol* 1999;21:468-72.
- De la Torre C, Losada A, Cruces MJ. Necrobiosis lipoidica: a case with prominent cholesterol clefting and transepithelial elimination. *Am J Dermatopathol* 1999;21:575-7.
- España A, Sanz ML, Sola J, Gil P. Well's syndrome (eosinophilic cellulitis): correlation between clinical activity, eosinophil levels, eosinophil cation protein and interleukin-5. *Br J Dermatol* 1999; 140 :127-30.
- Palacios I, Umberto I, Celada A. Absence of human herpesvirus-8 DNA in angiosarcoma. *Br J Dermatol* 1999; 140:170-1.
- Grau Salvat C, Pout V, Cors JR, Aliaga A. Hereditary sclerosing poikiloderma of Weary: report of a new case. *Br J Dermatol* 1999;140:366-8.
- Fariñas-Álvarez C, Rodenas JM, Herranz MT, Delgado Rodríguez M. The naevus count on the arms as a predictor of the number of melanocytic naevi on the whole body. *Br J Dermatol* 1999;140:457-62.
- Gallardo F, Juan A, Condon E, Guillén JJ, Sole M, Vidaller A. Familial primary localized amyloidosis. *Br J Dermatol* 1999;140:544-6.
- Cornejo P, Romero A, López S, Guerra A, Gil R, Iglesias L. Cutaneous and hepatic granulomas in a young woman with common variable immunodeficiency. *Br J Dermatol* 1999;140:546-7.
- Rubio FA, Robayna G, Herranz P, de Lucas R, García Jiménez JA, Casado M. Necrotizing vasculitis of the glans penis. *Br J Dermatol* 1999;140:756-7.
- González López A, Velasco B, Pozo T, Del Villar A. HIV-associated pityriasis rubra pilaris responsive to triple antiretroviral therapy. *Br J Dermatol* 1999;140:931-4.
- Pérez C, Hernández R, Murie M, Vives R, Guarch R. Relapsing leukocytoclastic vasculitis as the initial manifestation of acute brucellosis. *Br J Dermatol* 1999; 140:1177-8.
- Camacho F, García Hernández MJ, Maruecos Blanca J. Postmenopausal frontal fibrosing alopecia. *Br J Dermatol* 1999;140:1181-2.
- Ferra C, Servitje O, Petriz L, Estrach T, Martí R, Limón A, Gutiérrez C, Blanco A, Gueda F, Peyri J, Grañena A. Autologous haematopoietic progenitor transplantation in advanced mycosis fungoides. *Br J Dermatol* 1999;140:1188-9.
- Córdoba S, Fernández Herrera J, Sánchez Pérez J, Fraga J, García Díez A. Vesiculobullous mycosis fungoides. *Br J Dermatol* 1999;140:164-6.
- Ho VC, Griffiths CEMI, Albrecht G, Vanaclocha F, Leonardos G, Atakan N, Reitamo S, Johanneson A, Mark NJ, Clarke P, Pfister P, Paul C. Intermitent short courses of cyclosporin (Neoral) for psoriasis non-responsive to topical therapy. A 1-year multicentre, randomized study. *Br J Dermatol* 1999;140:283-91.
- Navarro C, Fachal C, Rodríguez C, Pachó L, Domínguez C. Lipoid proteinosis. A biochemical and ultrastructural investigation of two new cases. *Br J Dermatol* 1999;141:326-31.
- Servitje O, Limón A, Blanco A, Carmona M, Serrano T, Romagosa V, Gallardo F, García J, Peyri J. Cardiac involvement and molecular staging in a fatal case of mycosis fungoides. *Br J Dermatol* 1999; 141:531-5.
- Vadillo M, Jucgla A, Podzameczer D, Rufi G, Domingo A. Pyoderma gangrenosum with liver, spleen and bone involvement in a patient with chronic myelomonocytic leukemia. *Br J Dermatol* 1999;141:541-3.
- Herrera A, Moruno A. Congenital erythropoietic porphyria affecting two brothers. *Br J Dermatol* 1999;141:547-50.
- Just M, Ribera M, Bielsa I, Calatrava A, Ferrandiz C. Keratosis punctata of the palmar creases: report of two cases associated with ichthyosis vulgaris. *Br J Dermatol* 1999;141:551-3.
- Hernández Martín A, González Sarmiento R, De Unamuno P. X-linked ichthyosis: an update. *Br J Dermatol* 1999;141:617-27.
- Badia X, Mascaró JM, Lozano R. Measuring health-related quality of life in patients with mild to moderate eczema and psoriasis. Clinical validity, reliability and sensitivity to change of the DLQI. *Br J Dermatol* 1999;141:698-702.

- Sánchez Carpintero I, España A, Idoate MA. Disseminated epidermolytic acanthoma probably related to trauma. *Br J Dermatol* 1999;141:728-30.
- Córdoba S, Nieto S, Fernández Herrera J, García Díez A. Acute arsenic poisoning: clinical and histopathologic features. *Br J Dermatol* 1999;141:1106-9.
- Del Pozo J, Martínez W, Vereá MM, Yebra-Pimentel MT, García Silva J, Fonseca E. Porokeratotic eccrine ostial and dermal duct naevus: treatment with carbon dioxide laser. *Br J Dermatol* 1999;141:1144-5.
- Martín López R, Feal-Cortinas C, Fraga J. Pleomorphic sclerotic fibroma. *Dermatology* 1999;198:69-72.
- Roustan G, Sánchez Yús E, Salas C, Simón A. Granuloma faciale with extrafacial lesions. *Dermatology* 1999;198:79-82.
- Pujol RM, Nadal C, Taberner R, Díaz C, Miralles J, Alomar A. Cutaneous granulomatous lesions in common variable immunodeficiency: complete resolution after intravenous immunoglobulins. *Dermatology* 1999;198:156-8.
- Miranda Romero A, Sánchez Sambucety P, Esquivias Gómez JJ, Martínez Fernández M, Abajo del Pozo C, Aragonés Fraile H, García Muñoz M. Vegetating iododerma with fatal outcome. *Dermatology* 1999;198:295-7.
- Mascaró JM Jr, Ferrando J, Sole MT, Alsina M, Nousari HC, Anhalt GJ, Font J, Mascaró JM. Paraneoplastic pemphigus: a case of long-term survival associated with systemic lupus erythematosus and polymyositis. *Dermatology* 1999;199:63-6.
- Ferrando J, Grimalt R. Partial response of severe alopecia areata to cyclosporine A. *Dermatology* 1999;199:67-9.
- Mitxelena J, Ratón JA, Bilbao I, Díaz Pérez JL. Nevoid hyperkeratosis of the areola in men: response to cryotherapy. *Dermatology* 1999;199:73-4.
- Piqué E, Copado R, Cabrera A, Olivares M, Fariña MC, Escalonilla P, Sorinao ML, Requena L. An outbreak of tinea gladiatorum in Lanzarote. *Clin Exp Dermatol* 1999;24:7-9.
- De Argila D, Bureo JC, Marquez FL, Pimentel JJ. Small cell carcinoma of the lung presenting as cutaneous metastasis of the lip mimicking a Merkel cell carcinoma. *Clin Exp Dermatol* 1999;24:170-2.
- Pereiro M Jr, Labandeira J, Toribio J. Plantar hyperkeratosis due to *Fusarium verticilloides* in a patient with malignancy. *Clin Exp Dermatol* 1999;24:175-8.
- Borrego L, Peterson L, Díez LI, De Pablo Martín P, Wagner JM, Gleich GJ, Leiferman KM. Polymorphic eruption of pregnancy and herpes gestationis: comparison of granulated cell proteins in tissue and serum. *Clin Exp Dermatol* 1999;24:213-25.
- Flórez A, Sánchez Aguilar D, Roson E, Prieto A, Van der Eyden A, Toribio J. Sweet's syndrome associated with *Salmolllla enteritidis* infection. *Clin Exp Dermatol* 1999;24:239-40.
- Santamaría LF, Torres R, Giménez Arnau AM, Jiménez Camarasa JM, Reyder H, Palacios JM, Beleta J. Rolipram inhibits staphylococcal enterotoxin B-mediated induction of human skin homing receptor on T-lymphocytes. *J Invest Dermatol* 1999;113:82-6.
- Zillikens D, Caux F, Mascaró JM Jr, Wesselmann U, Schmidt E, Prost C, Callen JP, Brocker EB, Diaz LA, Giudice GJ. Autoantibodies in lichen planus pemphigoides react with a novel epitope within the C-terminal NC16A domain of BP 10. *J Invest Dermatol* 1999;113 :117-21.
- Muñoz Pérez MA, Ríos Martín JJ, Rodríguez Pichardo A, Camacho F. Cutaneous T cell lymphoma and human immunodeficiency virus infection: 2 cases and review of the literature. *Acta Derm Venereol (Stockh)* 1999;79:153-5.
- Vargas Díez E, Abajo P, Fraga J, Fernández Herrera A, García Díez A. Chemotherapy-induced acral erythema. *Acta Derm Venereol (Stockh)* 1999;79:173-5.
- Baltomomé B, Valks R, Fraga J, Buendía V, Fernández Herrera J, García Díez A. Cutaneous alternariosis due to *Alternaria chlamydospora* after bone marrow transplantation. *Acta Derm Venereol (Stockh)* 1999;79:244.
- Nagore E, Sánchez Matilla JM, Julve N, Lecuona C, Oliver V. Atypical involvement of the palms and soles in a varicella infection. *Acta Derm Venereol (Stockh)* 1999;79:322.
- Álvarez Cuesta C, Molinos L, Cascante JA, Soler T, Pérez Oliva N. Cutaneous granulomas in a patient with common variable immunodeficiency. *Acta Derm Venereol (Stockh)* 1999;79:334.
- Herrera A, Camacho F. Lichen planus induced by interferon-alfa-2B therapy in a patient with cutaneous malignant melanoma. *Acta Derm Venereol (Stockh)* 1999;79:395.
- García Doval I, De la Torre C, Losada A, Cruces JM. Disseminated punctate intraepidermal haemorrhage: a widespread counterpart of black heel. *Acta Derm Venereol (Stockh)* 1999;79:397.
- Bragado R, Bello E, Requena L, Renedo G, Texeiro E, Álvarez MV, Castilla MA, Caramelo C. Increased expression of vascular endothelial growth factor in pyogenic granulomas. *Acta Derm Venereol (Stockh)* 1999;79:422-5.
- Sotillo Gago I, Muñoz Pérez MA, Camacho Martínez. *Pyoderma gangrenosum* after augmentation mammaplasty. *Acta Derm Venereol (Stockh)* 1999;79:486.
- García Doval I, Peteiro C, Toribio J. Amitriptyline-induced erythema annulare centrifugum. *Cutis* 1999;63:35-6.

- Nagore E, Sánchez Motilla JM, Navarro V, Febrer MI, Aliaga A. Leukocytoclastic vasculitis as a cutaneous manifestation of systemic infection caused by *Brucella melitensis*. *Cutis* 1999;63:25-7.
- Rocamora V, Puig L, Roman J, de Moragas JM. Amelanotic lentigo maligna: report of a case and review of the literature. *Cutis* 1999;64:53-6.
- Abajo P, Feal C, San Sánchez J, Sánchez Pérez J, García Díez A. Eczematous erythroderma induced by cyanamide. *Contact Dermatitis* 1999;40:160-1.
- Sánchez Pérez J, Córdoba S, Del Río MJ, García Díez A. Allergic contact dermatitis from furaltadone in ear-drops. *Contact Dermatitis* 1999;40:222.
- Díaz Ramón L, Aguirre A, Ratón Nieto JA, De Miguel M. Contact dermatitis from benzoxonium chloride. *Contact Dermatitis* 1999;40:53-4.
- Rodríguez Serna M, Velasco M, Miquel J, De la Cuadra J, Aliaga A. Photoallergic contact dermatitis from Zovirax cream. *Contact Dermatitis* 1999;40:54-5.
- Sánchez Pérez J, Bartolomé B, Del Río JM, García Díez A. Allergic contact dermatitis from 5-fluorouracil with positive intradermal test and cloubthll patch test reaction. *Contact Dermatitis* 1999;141:106-7.
- Marcos C, Allegue F, Luna I, González R. An unusual case of allergic contact dermatitis from corticosteroids. *Contact Dermatitis* 1999;41:237-8.
- Sánchez Pérez J, Córdoba S, Bartolomé B, García Díez A. Allergic contact dermatitis due to beta-blocker carteolol in eye-drops. *Contact Dermatitis* 1999; 41: 298.
- Sánchez Pérez J, García Díez A. Occupational allergic contact dermatitis from eugenol, oil of cinnamon and oil of cloves in a physiotherapist. *Contact Dermatitis* 1999;41:346-7.
- Pizarro A, García Tobarruela A, Herranz P, Pinilla J. Thalidomide as an inhibitor of tumor necrosis factor alfa production: a word of caution. *Int J Dermatol* 1999;38:76-7.
- Manchado P, Ruiz JM, Ruiz I, Rodríguez MA. Cutaneous infections by papillomavirus, herpes zoster and *Candida albicans* as the only manifestation of idiopathic CD4+ T lymphocytopenia. *Int J Dermatol* 1999; 38: 119-21.
- Ginarte M, Peteiro C, Toribio J. Keloid formation induced by isotretinoin therapy. *Int J Dermatol* 1999; 38:228-9.
- García Silva J, Almagro M, Peña C, López S, Castro A, Soriano V, Fonseca E. CD4+ T-lymphocytopenia, Kaposi's sarcoma, HHV-8 infection, severe seborrheic dermatitis and onychomycosis in an homosexual man without HIV infection. *Int J Dermatol* 1999; 38:231-3.
- Abade T, Ginarte M, Fernández Redondo V, Toribio J. Atypical acral persistent papular mucinosis. *Int J Dermatol* 1999;38:470-3.
- Soriano ML, Fariña ML, Manzarbeitia F, Requena L. Pretibial epidermolysis bullosa. *Int J Dermatol* 1999; 38:536-8.
- Martínez Escribano J, González R, Quecedo E, Febrer I. Efficacy of lipectomy and liposuction in the treatment of multiple symmetric lipomatosis. *Int J Dermatol* 1999;38:551-4.
- Córdoba S, Vargas E, Fraga J, Aragües M, Fernández Herrera J, García Díez A. Lichen sclerosus et atrophicus in sclerodermatous chronic graft-versus-host disease. *Int J Dermatol* 1999;38:708-11.
- Corbalán Vélez R, Pérez Ferriols A, Aliaga Boniche A. *Cutis verticis gyrata* secondary to hypothyroid myxedema. *Int J Dermatol* 1999;38:781-3.
- Ruiz Dobaldo S, Carrizosa A, García Hernández MJ, Rodríguez Pichardo A. Selective serotonin re-uptake inhibitors (SSRIs) and alopecia areata. *Int J Dermatol* 1999;38:798-9.
- Aguilar A, Gallego MA, Piqué E. Lichenoid drug eruption due to cyanamide. *Int J Dermatol* 1999;38:950-1.
- Revenge F, Paricio JF. Cutaneous side-effects caused by Tegafur. *Int J Dermatol* 1999;38:955-6.
- Quecedo E, Botella R, Sabater V, Febrer I, Aliaga A. Mycosis fungoides: evolution towards large-cell lymphoma. *Int J Dermatol* 1999;38:957.
- Miranda Romero A, González López A, Esquivias JJ, Bajo C, García Muñoz M. Allergic contact dermatitis due to pine wood. *J EADV* 1999;12:69-70.
- Camacho F. Teaching dermatosurgery. *J EADV* 1999; 12:72-4.
- Giménez García S, Sánchez Ramón S, Iban Ochoa RM, Ruiz Ocariz M. Fish tank granuloma: response to treatment with clarithromycin. *J EADV* 1999;12:81-2.
- Paricio Rubio JF, Revenge AF, Alfaro TJ, Ramírez GT. Squamous cell carcinoma of the penis arising on lichen sclerosus et atrophicus. *J EADV* 1999; 12:153-6.
- Tosti A, Camacho F, Dawber R. Management of androgenetic alopecia. *J EADV* 1999; 12:205-14.
- García Plata MD, Moreno Jiménez JC, Vélez García A, Valverde Blanco F, Fernández Roldán JC. Herpetic whitlow in an AIDS patient. *J EADV* 1999;12:241-2.
- Vélez A, García Aranda JM, Moreno JC. Hydroxyurea induced leg ulcers: is macroerythrocytosis a pathogenic factor. *J EADV* 1999;12:243-4.
- Repiso Jiménez JB, Márquez J, Sotillo B, García Bravo B, Camacho F. Subcutaneous fat necrosis of the newborn. *J EADV* 1999;12:254-7.
- García Bustinduy M, Guimerá Martín Neda F, Noda A, Lecuona M, Sánchez González R, González de Mesa MJ, Martín Malagón AI, García Montelongo R. Primary cutaneous mucormycosis: a diagnosis to consider. *J EADV* 1999;12:258-62.

- Borbujo J, Jara M, Barros C, Amor E, Fortes D. Primary cutaneous aspergillosis in a patient with acquired immunodeficiency syndrome. *JEADV* 1999;12:268-70.
- Giménez García R, Sánchez S, De la Calle A, Villna A. Palmoplantar pustulosis and sternoclavicular arthro-osteitis. *JEADV* 1999;13:70-1.
- Carcía Doval I, De la Torre C, Losada A, Ocampo C, Rodríguez T, Cruces MJ. Acquired cutaneous lymphangiectasia in a patient with cirrhotic ascites. *JEADV* 1999;13:109-12.
- Grau C, Pont J, Matarredonda J, Fortea, Aliaga A. Follicular mycosis fungoides: presentation of a case and review of the literature. *JEADV* 1999;13:131-6.
- Moreno Arias GA, Camps Fresneda A. Considerations about donor site in hair grafting: how we do it. *JEADV* 1999;13:143-4.
- Barnadas MA, Gelpi C, Curell R, de Moragas JM, Alomar A. Repeat direct immunofluorescence (DIF) test, using 1 M NaCl treated skin, in the subepidermal autoimmune bullous diseases that contain IgG at the dermal epidermal junction. *J Cutan Pathol* 1999;26:37-41.
- Fonseca E, García Silva J, Del Pozo J, Yebra MT, Cuevas J, Contreras F. Syphilis in an HIV infected patient misdiagnosed as leprosy. *J Cutan Pathol* 1999; 26:51-4.
- Flórez A, Sánchez Aguilar D, Peteiro C, Suárez JM, Toribio J. Inflammatory metastatic melanoma. *J Cutan Pathol* 1999;26:105-8.
- Simón RS, De Eusebio E, Álvarez-Vieitez A, Sánchez Yús E. Folliculo-sebaceous cystic hamartoma is but the sebaceous end of tricho-sebo-folliculoma. *J Cutan Pathol* 1999;26:109.
- Botella Estrada R, Sanmartín O, Sevilla A, Escudero A, Guillén C. Melanotic pigmentation in excision scars of melanocytic and non-melanocytic skin tumors. *J Cutan Pathol* 1999;26:137-44.
- Requena L, Fariña MC, Renedo G, Álvarez A, Sánchez Yús E, Sanguenza OP. Intravascular and diffuse dermal reactive angioendotheliomatosis secondary to iatrogenic arteriovenous fistulas. *J Cutan Pathol* 1999; 26:159-64.
- Puig L, Fernández Figueras MT, Penin RM, Esquius M, Alomar A, Ariza A. Differential expression of c-Met in Kaposi's sarcoma according to progression stage in HIV infection status. *J Cutan Pathol* 1999; 26:227-31.
- Fernández-Figueras MT, Armengol P, Puig LI, Molinero JL, Esquius M, Sierra G, Ariza A. Absence of Fas (CD95) and FasL (CD95L) immunohistochemical expression suggests Fas/ FasL-mediated apoptotic signal is not relevant in cutaneous Kaposi's sarcoma lesions. *J Cutan Pathol* 1999;26:417-23.
- Sánchez Yús E, Simón RS. Eccrine, apocrine, or sebaceous duct cyst? *J Cutan Pathol* 1999;26:444-6.
- García-Bustindiú M, Álvarez Arguellez H, Guimerá F, García Castro C, Sánchez González R, Hernández N, Díaz Flores L, García Montelongo R. Malignant rhabdoid tumor beside benign skin mesenchymal neoplasm with miofibromatous features. *J Cutan Pathol* 1999;26:509-15.
- Castellano VM, Rodríguez Peralto JL, Alonso S, Gómez de la Fuente E, Ibarrola C. Dermatofibroma parasitized by *Leishmania* in HIV infection: a new morphologic expression of dermal Kala-azar in an immunodepressed patient. *J Cutan Pathol* 1999;26: 516-9.
- Donati P, Requena L. Syringocystadenoma papilliferum with globet cells at the margin of an eyelid. *Dermatopathology: Practical and Conceptual* 1999;5:14-5.
- Requena L, Ackerman AB. Hemangioendothelioma? *Dermatopathology: Practical and Conceptual* 1999;5: 110-2.
- Ferrando J, Grimalt R. Acquired partial curly hair. *Eur J Dermatol* 1999;9:544-7.
- Buendía-Eisman A, Ferliche Fernández C, Serrano Ortega S. Awareless, attitudes and behaviour of teen-agers to sunlight. *Eur Dermatol* 1999;9:207-10.
- Peña Peñabad C, Unamuno P, García Silva J, Ludeña MD, González Sarmiento R, Pérez-Arellano JL. Altered expression of immunoreactive involucrin in lamellar ichthyosis. *Eur J Dermatol* 1999;9:197-201.
- Ozalla MD, Herrero C, Ventura PJ, Lecha M, Álvarez L, Mascaró JM. Urinary porphyrin excretion measurements in healthy neonates. *J Dermatol* 1999; 26:409-15.
- Nagore E, Díaz F, Sanchez Motilla JM, Prats A, García Castell J, Aliaga A. A poroid neoplasia arising close to a seborrheic keratosis and trichoepithelioma. *J Dermatol* 1999;26:253-7.
- García Hernández MJ, Rubio Doblado S, Rodríguez Pihardo A, Camacho F. Alopecia areata, stress and psychiatric disorders. *J Dermatol* 1999;26:625-32.
- Camacho FM, García Hernández MJ. Zinc aspartate, biotin, and clobetasol propionate in the treatment of alopecia areata in childhood. *Pediatr Dermatol* 1999;16:336-8.
- Bercedo A, Cabero MJ, García Consuegra J, Hernando M, Yáñez S, Fernández Llaca H. Generalized lichen nitidus and juvenile chronic arthritis: an undescribed association. *Pediatr Dermatol* 1999;16: 406-7.
- Ramón R, Betlloch I, Guizarro J, Bañuls J, Alfonso R, Silvestre JF. Bronchogenic cyst presentation as a nodular lesion. *Pediatr Dermatol* 1999;16:285-7.
- Nagore E, Sánchez Motilla JM, Febrer MI, Cremades B, Aleu M, Aliaga A. Radius hypoplasia, radial palsy, and aplasia cutis due to amniotic band syndrome. *Pediatr Dermatol* 1999;16:217-9.

- Muñoz Pérez MA, Camacho FM. SISAIPHO: why ophiiasis in versus? *Pediatr Dermatol* 1999;16:76.
- Vélez A, Moreno JC. Febrile perinatal streptococcal dermatitis. *Pediatr Dermatol* 1999;16:23-4.
- Sánchez Yús E. Devons-nous continuer a publier des revues médicales en espagnol? *Ann Dermatol Venerol* 1999;126:837.
- Moreno Arias GA, Camps Fresneda A. Hair grafting in postburn alopecia. *Dermatol Surg* 1999;25:412-4.
- Jiménez F, Ruifernández JM. Distribution of human hair in follicular units. A mathematical model for estimating the donor size in follicular unit transplantation. *Dermatol Surg* 1999;25:294-8.
- Camacho F, Mazuecos J, Rodríguez Adrados F. Basal cell carcinoma arising in an electrical burn scar secondary to transthoracic cardioversion. *Dermatol Sur* 1999;25:151-2.
- Ferrándiz C, Fuente MJ, Fernández Figueras MT, Bielsa I, Just M. p53 immunohistochemical expression in early posttransplant-association malignant and premalignant cutaneous lesions. *Dermatol Surg* 1999;25:97-101.

Bastantes de estos 145 artículos ya contienen citas de ACTAS.

El día que esta tendencia llegue a hacerse costumbre, ACTAS será una de las revistas dermatológicas de mayor impacto.

SI QUIERES QUE ACTAS TENGA IMPACTO, CITA ACTAS...